

| Specification  <br>विनिर्देश | Sub-Spec   उप-विनिर्देश   | Value   मूल्य  |
|------------------------------|---|--|
| GENERIC                      | High-end furniture set consist of                                   | High End office Table only   |
|                              | Mode of supply  | Assembled ready to use   |
|                              | Top, sides and bottoms (of each product) fixed up system            | N.A  |
|                              | Preservation treatment  | Yes  |
|                              | Warranty periods  | 1 – Year   |
| MAIN TABLE                   | Design / Shape  | Rectangular and taper inside at both side ends   |
|                              | Frame type  | Free standing  |
|                              | Under structure of main table                                       | Gable end modesty panel, Gable end modesty panel and Legs, Gable end only, Modesty panel only, With Aluminum anodized access flap (for electrical provision) |
|                              | Table top material  | 2 MDF batons with natural veneer   |
|                              | Gable end material  | N.A  |
|                              | Modesty panel material  | N.A  |
|                              | Leg material  | N.A  |
|                              | Number of buffer provided   | Four numbers at bottom   |
|                              | Length of table top $\pm$ 20 mm                                     | 1800 mm  |
|                              | Depth of table top $\pm$ 10 mm                                      | 1050 mm  |
|                              | Height of table top $\pm$ 10 mm                                     | 730 mm   |
|                              | Dimension of leg $\pm$ 2 mm   | 50 m X 50 mm   |
|                              | Thickness of table top $\pm$ 2 mm                                   | 40 mm  |
|                              | Thickness of gable end $\pm$ 2 mm                                   | 25 mm  |
|                              | Thickness of modesty panel $\pm$ 1 mm                               | 18 mm  |
|                              | Material of keyboard tray and right angle L-Type supporting bracket | Other wood of standard quality   |
|                              | Keyboard adjustability  | N.A  |
|                              | Average weight of telescopic channel                                | 500 grams per set  |
|                              | Finish of exposed edges of keyboard tray                            | N.A  |
|                              | Material thickness of keyboard tray $\pm$ 1 mm                      | 9 mm   |
| EXTENDED<br>RETURN UNIT      | Number of storage unit  | 4 numbers  |
|                              | Storage with shutter  | 3 numbers  |
|                              | Number of drawers   | 2 numbers  |
|                              | Size of small drawers $\pm$ 5 mm                                    | 150 mm (H) X 465 mm(W) X 470 mm(D)   |
|                              | Size of medium drawers $\pm$ 5 mm                                   | 300 mm(H) X 465 mm(W) X 470 mm(D)  |
|                              | Number of lockable castors at bottom                                | 8 numbers  |
|                              | Size of lockable castors $\pm$ 2 mm                                 | Diameter 50 mm and height 60 mm  |
|                              | Provision of storage lock system                                    | N.A  |
|                              | Material of top   | N.A  |
|                              | Material of modesty panel   | N.A  |
|                              | Material of side panel  | N.A  |
|                              | Thickness of top panel $\pm$ 2 mm                                   | 36 mm  |
|                              |   |  |

|                          |   |           |
|--------------------------|---|-----------|
|                          | Thickness of other panel $\pm 2$ mm                           | 25 mm     |
|                          | Thickness of drawer base $\pm 1$ mm                           | 18 mm     |
|                          | Drawer/storage shutter pull up mechanism                      | N.A       |
|                          | Width of unit $\pm 20$ mm                                     | 1910 mm   |
|                          | Depth of unit $\pm 5$ mm                                      | 520 mm    |
|                          | Height of unit $\pm 5$ mm                                     | 650 mm    |
|                          | Overall height of storage unit $\pm 5$ mm                     | 690 mm    |
|                          | Width of storage unit $\pm 5$ mm                              | N.A       |
| PEDESTAL<br>STORAGE UNIT | Type of unit  | N.A       |
|                          | Size of drawers $\pm 2$ mm                                    | N.A       |
|                          | Each drawers fixed with                                       | N.A       |
|                          | Provision of lock system                                      | N.A       |
|                          | Drawer pull up mechanism                                      | N.A       |
|                          | Material of top panel   | N.A       |
|                          | Material of other panel                                       | N.A       |
|                          | Thickness of top panel $\pm 1$ mm                             | N.A       |
|                          | Thickness of other panel $\pm 1$ mm                           | N.A       |
|                          | Number of lockable castors at bottom pedestal storage unit    | N.A       |
|                          | Size of lockable castors for pedestal storage unit $\pm 2$ mm | N.A       |
|                          | Width of pedestal unit $\pm 5$ mm                             | 440 mm    |
|                          | Depth of pedestal unit $\pm 5$ mm                             | 640 mm    |
|                          | Height of pedestal unit $\pm 5$ mm                            | 550 mm    |
|                          | Finish of pedestal storage unit                               | N.A       |
| WOODEN BOOK<br>CASE      | Type of Bookcase  | N.A       |
|                          | Design of bookcase  | N.A       |
|                          | Total Number of shelf   | 3 numbers |
|                          | Number of small shelf   | N.A       |
|                          | Number of big shelf   | N.A       |
|                          | Top panel material  | N.A       |
|                          | Side panel material   | N.A       |
|                          | Shelf material  | N.A       |
|                          | Full Door panel material                                      | N.A       |
|                          | Upper door panel made up of                                   | N.A       |
|                          | Lower door panel made up of                                   | N.A       |
|                          | Thickness of top panel material $\pm 1$ mm                    | N.A       |
|                          | Thickness of side panel material $\pm 1$ mm                   | N.A       |
|                          | Thickness of shelf panel material $\pm 1$ mm                  | N.A       |
|                          | Thickness of door panel (full size) material $\pm 1$ mm       | N.A       |
|                          | Thickness of upper door panel made up of $\pm 1$ mm           | N.A       |
|                          | Thickness of lower panel made up of $\pm 1$ mm                | N.A       |
|                          | Material for buffer   | N.A       |
|                          | Width of book case $\pm 10$ mm                                | N.A       |
|                          | Depth of book case $\pm 5$ mm                                 | N.A       |
|                          | Height of book case $\pm 20$ mm                               | N.A       |
|                          | Size of medium shelf  | N.A       |
|                          | Finish of Book case   | N.A       |

|               |   |    |
|---------------|---|----|
| CERTIFICATION | Test reports to be furnished to buyer on demand               | No |
|               | Product having BIFMA certification                            | No |
|               | OEM of offered product is ISO 9001:2015 certified             | No |
|               | OEM of offered product is ISO 14001:2015 certified            | No |
|               | OEM of offered product is ISO 18001:2007/45001:2018 certified | No |